



УПРАВЛЕНИЕ  
"FSC" 3


A.324



The controllable sizes  
of a glass finish  
 $\phi 30 \pm 0.5$   
 $\phi 18 \pm 0.5$  should be on depth  
10 mm from a finish end face  
 $\phi 16$  min in other part of a mouth  
Finish type VP<sub>4B</sub>



Dot-code  
(on the opposite party of the jar)



The signature and date	<p><u>Characteristics</u> Nominal capacity in terms of filling, cm<sup>3</sup> - 500±7 Weight recommended, g - 410</p>	<p><u>The packing scheme of the bottles in the pallet</u></p> <p>Quantity of layers: 6 Quantity of bottles in the pallet: 2046 Weight of the pallet, kg: 890 Roof: a cardboard Cover: thermocontractable</p>										
Instead of accession N Duplicate accession N	<p>SM 195:1999 ; GOST 10117.1 Thickness of walls, at application of hardening, not less - 1.2 mm Thickness of a bottom at application of hardening, not less, - 2.2 mm Thermal stability, difference of temperatures, not less, °C - 40 Internal hydrostatic pressure during 60±2s not less, kgf/cm<sup>2</sup> - 5</p>											
The signature and date	<p><u>Maximum deviation</u> from a vertical axis not more, mm 4.5 on height, mm ±1.9 on diameter of the body, mm ±1.3 other sizes are given for manufacturing set of forms</p>	A.324										
Original accession N	<p>Agreed:</p>	<table border="1"> <thead> <tr> <th>Letter</th> <th>Weight</th> <th>Scale</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>1:1,6</td> </tr> <tr> <td>Sheet</td> <td>Sheets</td> <td>1</td> </tr> </tbody> </table>		Letter	Weight	Scale			1:1,6	Sheet	Sheets	1
Letter	Weight	Scale										
		1:1,6										
Sheet	Sheets	1										
	<p>Change Letter Document N Signature Date Designed D. J. 27.03.14 Constr-r principal D. J. 27.03.14 Dir. of manuf. Rotari N.V. [Signature]</p>	<p>Bottle "Primavera New"-VP<sub>4B</sub>-500 Glass colourless</p>										